

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse anti Human CD27, conjugated with FITC, IgG1, Clone: [DEN-3], Monoclonal NMB-0272

Artikelname	Mouse anti Human CD27, conjugated with FITC, IgG1, Clone: [DEN-3], Monoclonal
Artikelnummer	NMB-0272
Hersteller Artikelnummer	0272
Alternativnummer	NMB-0272
Hersteller	NordicMubio
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC
Spezies Reaktivität	Human
Konjugation	FITC
Produktbeschreibung	The CD27 antigen recognizes disulfide-linked dimer nerve growth factor (NGF) super family of cells expressing the 55kD surface antigen. CD27 acts as a co-stimulatory on T lymphocytes with its ligand of CD70....
Klonalität	Monoclonal
Konzentration	Titered for flow cytometry
Klon-Bezeichnung	[DEN-3]
Isotyp	IgG1

UniProt	P26842
Puffer	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Reinheit	Protein A/G Chromatography
Formulierung	FITC
Formel	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Anwendungsbeschreibung	PBMC: Add 10 µl of MAB/10⁶ PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8°C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently and incubate for 15 minutes at room temperature (20°C). Lyse the whole blood. Wash once with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. See instrument manufacturers instructions for Lysed Whole Blood and Immunofluorescence analysis with a flow cytometer or microscope.