

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Filaggrin (Keratinocyte Differentiation Marker) Antibody, IgG1, Clone: [FLG/1562], Mouse, Monoclonal NBT-2312-MSM2-P0

| | |
|--------------------------|---|
| Artikelname | Filaggrin (Keratinocyte Differentiation Marker) Antibody, IgG1, Clone: [FLG/1562], Mouse, Monoclonal |
| Artikelnummer | NBT-2312-MSM2-P0 |
| Hersteller Artikelnummer | 2312-MSM2-P0 |
| Alternativnummer | NBT-2312-MSM2-P0-20,NBT-2312-MSM2-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human Filaggrin protein fragment (aa 198-288) (exact sequence is proprietary) |
| Produktbeschreibung | Filaggrin is an intermediate filament-associated protein that aggregates keratin intermediate filaments in mammalian epidermis. It is initially synthesized as a polyprotein precursor, profilaggrin (consisting of multiple filaggrin units of 324 aa eac... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [FLG/1562] |
| Molekulargewicht | 26-45kDa (Processed), 350kDa (Profilaggrin) |

| | |
|------------------------|---|
| Isotyp | IgG1 |
| NCBI | 2312 |
| UniProt | P20930 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution f |