

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cytokeratin, Acidic (Type I or LMW) (Epithelial Marker) Antibody, IgG1, Clone: [SPM115], Mouse, Monoclonal NBT-MSM4X-253-P0

Artikelname	Cytokeratin, Acidic (Type I or LMW) (Epithelial Marker) Antibody, IgG1, Clone: [SPM115], Mouse, Monoclonal
Artikelnummer	NBT-MSM4X-253-P0
Hersteller Artikelnummer	MSM4X-253-P0
Alternativnummer	NBT-MSM4X-253-P0-20,NBT-MSM4X-253-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Bovine, Canine, Gallus, Human, Monkey, Mouse, Rabbit, Rat, Reptile
Immunogen	Human epidermal keratin
Produktbeschreibung	This MAb recognizes the 56.5kDa (CK10), 50kDa (CK14), 50kDa (CK15), 48kDa (CK16), 40kDa (CK19) keratins of the acidic (Type I or LMW) subfamily. Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pI 6.0) subfamil...
Klonalität	Monoclonal
Klon-Bezeichnung	[SPM115]
Molekulargewicht	56.5kDa (CK10), 50kDa (CK14), 50kDa (CK15), 48kDa (CK16), 40kDa (CK19)

Isotyp	IgG1
NCBI	374454
UniProt	Q7Z794
Formulierung	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA