

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Mitochondrial Marker(113-1), CF405S conjugate, 0.1mg/mL, Clone: [113-1], Mouse, Monoclonal BOT-BNC040739-100**

Artikelname	Mitochondrial Marker(113-1), CF405S conjugate, 0.1mg/mL, Clone: [113-1], Mouse, Monoclonal
Artikelnummer	BOT-BNC040739-100
Hersteller Artikelnummer	BNC040739-100
Alternativnummer	BOT-BNC040739-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IF, IHC, WB
Spezies Reaktivität	Human
Immunogen	Semi-purified mitochondrial preparation
Konjugation	CF405S
Produktbeschreibung	This MAb recognizes a 60 kDa antigen associated with the mitochondria in human cells. It can be used to stain mitochondria in cell or tissue preparations and can be used as a mitochondrial marker in subcellular fractions. It produces a spaghetti-like...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[113-1]

Molekulargewicht	60 kDa
UniProt	Not Known
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Does not react with mouse or rat, others not known Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Immunofluorescence (PFA- or MeOH-fixed) 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user