

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **HCG-beta (Pregnancy & Choriocarcinoma Marker) (rHCGb/54), CF405S conjugate, 0.1mg/mL, Clone: [rHCGb/54], Mouse, Monoclonal BOT-BNC042197-100**

Artikelname	HCG-beta (Pregnancy & Choriocarcinoma Marker) (rHCGb/54), CF405S conjugate, 0.1mg/mL, Clone: [rHCGb/54], Mouse, Monoclonal
Artikelnummer	BOT-BNC042197-100
Hersteller Artikelnummer	BNC042197-100
Alternativnummer	BOT-BNC042197-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant full-length human hCG beta protein
Konjugation	CF405S
Produktbeschreibung	This MAb reacts with a protein of 22 kDa, identified as beta sub-unit of HCG. It does not cross react with the alpha sub-unit. HCG is a glycoprotein, which is secreted in large quantities by normal trophoblasts. It is present only in trace amounts in...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[rHCGb/54]

Molekulargewicht	22 kDa
UniProt	<a href="#">P01233</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user