

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Spectrin Alpha 1 (Erythrocyte Marker) (rSPTA1/1833), CF405S conjugate, 0.1mg/mL, IgG1, Clone: [rSPTA1/1833], Mouse, Monoclonal BOT-BNC042556-500**

Artikelname	Spectrin Alpha 1 (Erythrocyte Marker) (rSPTA1/1833), CF405S conjugate, 0.1mg/mL, IgG1, Clone: [rSPTA1/1833], Mouse, Monoclonal
Artikelnummer	BOT-BNC042556-500
Hersteller Artikelnummer	BNC042556-500
Alternativnummer	BOT-BNC042556-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant fragment of human SPTA (around aa356-475) (exact sequence is proprietary)
Konjugation	CF405S
Produktbeschreibung	Spectrin is an actin crosslinking and molecular scaffold protein that links the plasma membrane to the actin cytoskeleton, and functions in the determination of cell shape, arrangement of transmembrane proteins, and organization of organelles. Spectr...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[rSPTA1/1833]
Molekulargewicht	240 kDa
Isotyp	IgG1
UniProt	<a href="#">P02549</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user