

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Human IgM (Immunoglobulin Mu Heavy Chain) (B-Cell Marker) (rIM373), CF405S conjugate, 0.1mg/mL, Clone: [rIM373], Mouse, Monoclonal BOT-BNC042560-500

Artikelname	Human IgM (Immunoglobulin Mu Heavy Chain) (B-Cell Marker) (rIM373), CF405S conjugate, 0.1mg/mL, Clone: [rIM373], Mouse, Monoclonal
Artikelnummer	BOT-BNC042560-500
Hersteller Artikelnummer	BNC042560-500
Alternativnummer	BOT-BNC042560-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Heavy chain of human IgM
Konjugation	CF405S
Produktbeschreibung	This antibody recognizes a protein of 75 kDa, identified as mu heavy chain of human immunoglobulins. It does not cross-react with alpha (IgA), gamma (IgG), epsilon (IgE), or delta (IgD), heavy chains, T-cells, monocytes, granulocytes, or erythrocytes...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[rIM373]
Molekulargewicht	50-75 kDa
UniProt	P01871
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user