

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD34 (Hematopoietic Stem Cell & Endothelial Marker) (HPCA1/2598R), CF405S conjugate, 0.1mg/mL, Clone: [HPCA1/2598R], Rabbit, Monoclonal BOT-BNC042598-500**

Artikelname	CD34 (Hematopoietic Stem Cell & Endothelial Marker) (HPCA1/2598R), CF405S conjugate, 0.1mg/mL, Clone: [HPCA1/2598R], Rabbit, Monoclonal
Artikelnummer	BOT-BNC042598-500
Hersteller Artikelnummer	BNC042598-500
Alternativnummer	BOT-BNC042598-500-500UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	FC, IHC
Spezies Reaktivität	Human, Rat
Immunogen	Recombinant full-length human HPCA1 protein
Konjugation	CF405S
Produktbeschreibung	This antibody recognizes a transmembrane, heavily glycosylated protein of 90-120 kDa, which is identified as CD34. Its expression is a hallmark for identifying pluripotent hematopoietic stem or progenitor cells. Its expression is gradually lost as li...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[HPCA1/2598R]
Molekulargewicht	90-110 kDa
UniProt	<a href="#">P28906</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA pH 9.0 for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user