

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

VLDL-Receptor (Very Low Density Lipoprotein Receptor)(VLDLR/2896R), CF405S conjugate, 0.1mg/mL, Clone: [VLDLR/2896R], Rabbit, Monoclonal BOT-BNC042896-500

Artikelname	VLDL-Receptor (Very Low Density Lipoprotein Receptor)(VLDLR/2896R), CF405S conjugate, 0.1mg/mL, Clone: [VLDLR/2896R], Rabbit, Monoclonal
Artikelnummer	BOT-BNC042896-500
Hersteller Artikelnummer	BNC042896-500
Alternativnummer	BOT-BNC042896-500-500UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Spezies Reaktivität	Human, Rat
Immunogen	Recombinant human VLDLR fragment from c-terminal
Konjugation	CF405S
Produktbeschreibung	VLDLR (very low density lipoprotein receptor) is a member of the LDL receptor gene family, which includes LDL receptor, LRP, megalin, VLDLR and ApoER2. The LDL receptor family is characterized by a cluster of cysteine-rich class A repeats, epidermal ...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[VLDLR/2896R]

Molekulargewicht	143-161 kDa
UniProt	P98155
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry