

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **c-Myc(MYC699), CF647 conjugate, 0.1mg/mL, Clone: [MYC699], Mouse, Monoclonal BOT-BNC470699-100**

Artikelname	c-Myc(MYC699), CF647 conjugate, 0.1mg/mL, Clone: [MYC699], Mouse, Monoclonal
Artikelnummer	BOT-BNC470699-100
Hersteller Artikelnummer	BNC470699-100
Alternativnummer	BOT-BNC470699-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Gorilla, Human, Primate
Immunogen	A synthetic peptide, corresponding to aa 408-439 (AEEQKLISEEDLLRKRREQLKHKLEQL-RNSCA) from C-terminus of human c-myc, coupled to KLH
Konjugation	CF647
Produktbeschreibung	The c-Myc protein is a transcription factor, which is encoded by the c-Myc gene on human chromosome 8q24. c-Myc is commonly activated in a variety of tumor cells and plays an important role in cellular proliferation, differentiation, apoptosis and ce...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[MYC699]

Molekulargewicht	62-64 kDa
UniProt	<a href="#">P01106</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry Does not react with mouse, others not known