

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MART-1 / Melan-A(M2-7C10 + M2-9E3), CF647 conjugate, 0.1mg/mL, Clone: [M2-7C10 M2-9E3], Mouse, Monoclonal BOT-BNC470705-100

| | |
|--------------------------|---|
| Artikelname | MART-1 / Melan-A(M2-7C10 + M2-9E3), CF647 conjugate, 0.1mg/mL, Clone: [M2-7C10 M2-9E3], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC470705-100 |
| Hersteller Artikelnummer | BNC470705-100 |
| Alternativnummer | BOT-BNC470705-100-100UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human, Mouse, Rat |
| Immunogen | Recombinant hMART-1 protein (M2-7C10, M2-9E3) |
| Konjugation | CF647 |
| Produktbeschreibung | This antibody recognizes a protein doublet of 20-22 kDa, identified as MART-1 (Melanoma Antigen Recognized by T cells 1) or Melan-A. MART-1 is a newly identified melanocyte differentiation antigen recognized by autologous cytotoxic T lymphocytes. Sev... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |
| Klon-Bezeichnung | [M2-7C10 M2-9E3] |

| | |
|------------------------|---|
| Molekulargewicht | 20-22 kDa (doublet) |
| UniProt | Q16655 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL /mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1.0 ug/mL Optimal dilution for a specific application should be determined by user |