

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD35 / CR1(CR1/802), CF647 conjugate, 0.1mg/mL, Clone: [CR1/802], Mouse, Monoclonal BOT-BNC470802-100**

Artikelname	CD35 / CR1(CR1/802), CF647 conjugate, 0.1mg/mL, Clone: [CR1/802], Mouse, Monoclonal
Artikelnummer	BOT-BNC470802-100
Hersteller Artikelnummer	BNC470802-100
Alternativnummer	BOT-BNC470802-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human, Monkey, Primate
Immunogen	Recombinant human CR1 protein
Konjugation	CF647
Produktbeschreibung	Recognizes a protein of 210-220 kDa, which is identified as the complement receptor 1 (CR1)/CD35. This MAbs does not block CR1 activity. It is highly specific to CR1 and shows no cross-reaction with CR2. The primary function of CR1 is to serve as the ...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[CR1/802]

Molekulargewicht	210-220 kDa
UniProt	<a href="#">P17927</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user