

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

p21 / WAF1(DCS-60.2), CF647 conjugate, 0.1mg/mL, Clone: [DCS-60.2], Mouse, Monoclonal BOT-BNC470822-100

Artikelname	p21 / WAF1(DCS-60.2), CF647 conjugate, 0.1mg/mL, Clone: [DCS-60.2], Mouse, Monoclonal
Artikelnummer	BOT-BNC470822-100
Hersteller Artikelnummer	BNC470822-100
Alternativnummer	BOT-BNC470822-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Human recombinant p21 protein
Konjugation	CF647
Produktbeschreibung	This MAb recognizes a 21 kDa protein, identified as the p21WAF1 tumor suppressor protein. This MAb is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdk s and a tum...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[DCS-60.2]

Molekulargewicht	21 kDa
UniProt	P38936
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Western blot: 1-2 ug/mL Does not react with mouse or rat, others not known Immunohistology formalin-fixed 2-4 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user