

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Melanoma Marker(KBA.62), CF647 conjugate, 0.1mg/mL, Clone: [KBA.62], Mouse, Monoclonal BOT-BNC470895-100**

Artikelname	Melanoma Marker(KBA.62), CF647 conjugate, 0.1mg/mL, Clone: [KBA.62], Mouse, Monoclonal
Artikelnummer	BOT-BNC470895-100
Hersteller Artikelnummer	BNC470895-100
Alternativnummer	BOT-BNC470895-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Human KAL cells derived from lymph node metastasis of malignant melanoma
Konjugation	CF647
Produktbeschreibung	KBA.62 is a novel anti-melanoma antibody. It reacts positively against melanocytic tumors but not other tumors, thus demonstrating specificity and sensitivity. Moreover, it reacts positively against junctional nevus cells but not intradermal nevi, an...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[KBA.62]
Molekulargewicht	Multiple (140, 135 and 128 kDa and two weak bands of 88 and 73 kDa)
UniProt	Not Known
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user