

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Lewis B(2-25LE), CF647 conjugate, 0.1mg/mL, Clone: [2-25LE], Mouse, Monoclonal BOT-BNC471008-100**

Artikelname	Lewis B(2-25LE), CF647 conjugate, 0.1mg/mL, Clone: [2-25LE], Mouse, Monoclonal
Artikelnummer	BOT-BNC471008-100
Hersteller Artikelnummer	BNC471008-100
Alternativnummer	BOT-BNC471008-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Guinea pig, Human, Porcine
Immunogen	Mucin isolated from a human ovarian cyst fluid
Konjugation	CF647
Produktbeschreibung	The Lewis histo-blood group system comprises a set of fucosylated glycosphingolipids that are synthesized by exocrine epithelial cells and circulate in body fluids. The glycosphingolipids function in embryogenesis, tissue differentiation, tumor metas...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[2-25LE]

Molekulargewicht	45 kDa
UniProt	<a href="#">P21217</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user