

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **TRAcP (Tartarate Resistant Acid Phosphatase)(ACP5/1070), CF647 conjugate, 0.1mg/mL, Clone: [ACP5/1070], Mouse, Monoclonal BOT-BNC471070-100**

Artikelname	TRAcP (Tartarate Resistant Acid Phosphatase)(ACP5/1070), CF647 conjugate, 0.1mg/mL, Clone: [ACP5/1070], Mouse, Monoclonal
Artikelnummer	BOT-BNC471070-100
Hersteller Artikelnummer	BNC471070-100
Alternativnummer	BOT-BNC471070-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human, Mouse, Rat
Immunogen	Recombinant full-length human ACP5 protein
Konjugation	CF647
Produktbeschreibung	This antibody recognizes a protein of 35 kDa, which is identified as tartrate-resistant acid phosphatase (TRAcP). It exists as two isoforms (5a and 5b). This MAb reacts with both the isoforms. Serum TRAcP 5a is secreted by macrophages and dendritic c...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[ACP5/1070]

Molekulargewicht	35 kDa
UniProt	<a href="#">P13686</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user