

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **FSH-Receptor (Ovarian Marker) (FSHR/1400), CF647 conjugate, 0.1mg/mL, IgG1, Clone: [FSHR/1400], Mouse, Monoclonal BOT-BNC471400-500**

Artikelname	FSH-Receptor (Ovarian Marker) (FSHR/1400), CF647 conjugate, 0.1mg/mL, IgG1, Clone: [FSHR/1400], Mouse, Monoclonal
Artikelnummer	BOT-BNC471400-500
Hersteller Artikelnummer	BNC471400-500
Alternativnummer	BOT-BNC471400-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human full-length FSHR protein
Konjugation	CF647
Produktbeschreibung	Follicle-stimulating hormone receptor (FSHR) is a 695 amino acid G protein coupled receptor. FSH binds to the receptor in a hand-clasp fashion via its alpha and beta subunits. While the beta subunit of FSH is involved in the binding of FSH to the rec...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[FSHR/1400]

Molekulargewicht	75 kDa
Isotyp	IgG1
UniProt	<a href="#">P23945</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	<p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user</p>