

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **TSH-Receptor, B-Chain (Thyroid Marker) (TSHRB/1405), CF647 conjugate, 0.1mg/mL, IgG2a, Clone: [TSHRB/1405], Mouse, Monoclonal BOT-BNC471405-100**

Artikelname	TSH-Receptor, B-Chain (Thyroid Marker) (TSHRB/1405), CF647 conjugate, 0.1mg/mL, IgG2a, Clone: [TSHRB/1405], Mouse, Monoclonal
Artikelnummer	BOT-BNC471405-100
Hersteller Artikelnummer	BNC471405-100
Alternativnummer	BOT-BNC471405-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	B-Chain protein Recombinant human TSHR
Konjugation	CF647
Produktbeschreibung	Thyroid-stimulating hormone (TSH, also known as thyrotropin) is a glycoprotein involved in the control of thyroid structure and metabolism, which stimulates the release of the thyroid hormones. TSH is regulated by thyroid hormone (T3) and various ret...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[TSHRB/1405]
Molekulargewicht	42 kDa
Isotyp	IgG2a
UniProt	<a href="#">P16473</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris buffer with 1 mM EDTA pH 8.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user