

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

**NSE gamma (Neuron Specific Enolase, gamma) (Neuroendocrine Marker) (ENO2/1462), CF647 conjugate, 0.1mg/mL, IgG2b, Clone: [ENO2/1462], Mouse, Monoclonal
BOT-BNC471462-500**

Artikelname	NSE gamma (Neuron Specific Enolase, gamma) (Neuroendocrine Marker) (ENO2/1462), CF647 conjugate, 0.1mg/mL, IgG2b, Clone: [ENO2/1462], Mouse, Monoclonal
Artikelnummer	BOT-BNC471462-500
Hersteller Artikelnummer	BNC471462-500
Alternativnummer	BOT-BNC471462-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	A synthetic peptide corresponding to aa416-433 of human NSE gamma (exact sequence is proprietary)
Konjugation	CF647
Produktbeschreibung	This antibody recognizes a protein of about 50 kDa, which is identified as gamma-enolase. Three isoenzymes of enolases are identified, alpha, beta and gamma. Alpha-isoform is expressed in most tissues, whereas beta-form is expressed predominantly in ...
Klonalität	Monoclonal

Konzentration	0.1 mg/mL
Klon-Bezeichnung	[ENO2/1462]
Molekulargewicht	~50 kDa
Isotyp	IgG2b
UniProt	P09104
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 0.1-0.2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user