

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD162 (Selectin P Ligand) (PSGL1/1601), CF647 conjugate, 0.1mg/mL, IgG1, Clone: [PSGL1/1601], Mouse, Monoclonal BOT-BNC471601-100

Artikelname	CD162 (Selectin P Ligand) (PSGL1/1601), CF647 conjugate, 0.1mg/mL, IgG1, Clone: [PSGL1/1601], Mouse, Monoclonal
Artikelnummer	BOT-BNC471601-100
Hersteller Artikelnummer	BNC471601-100
Alternativnummer	BOT-BNC471601-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human full-length SELPLG (CD162) protein
Konjugation	CF647
Produktbeschreibung	CD162 glycoprotein functions as a high affinity counter-receptor for the cell adhesion molecules P-, E- and L- selectin expressed on myeloid cells and stimulated T lymphocytes. As such, this protein plays a critical role in leukocyte trafficking duri...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[PSGL1/1601]

Molekulargewicht	43-120 kDa
Isotyp	IgG1
UniProt	Q14242
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM Tris, 1 mM EDTA pH 9.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user