

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Beta Catenin (p120)(Rabbit PAb), CF568 conjugate, 0.1mg/mL, Clone: [PAb], Monoclonal BOT-BNC680376-100**

Artikelname	Beta Catenin (p120)(Rabbit PAb), CF568 conjugate, 0.1mg/mL, Clone: [PAb], Monoclonal
Artikelnummer	BOT-BNC680376-100
Hersteller Artikelnummer	BNC680376-100
Alternativnummer	BOT-BNC680376-100-100UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	FC, IHC, WB
Spezies Reaktivität	Human, Mouse
Immunogen	A synthetic peptide from the middle of beta-Catenin (p120) protein
Konjugation	CF568
Produktbeschreibung	Beta-catenin associates with the cytoplasmic portion of E-cadherin. The catenin/cadherin complexes play an important role mediating cellular adhesion, including adherens junctions. Beta-catenin is involved in the Wnt signaling pathway as well as othe...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[PAb]

Molekulargewicht	92 kDa
UniProt	<a href="#">P35222</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 1-2 ug/mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user