

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **HLA-DRB (MHC II)(Bra30), CF568 conjugate, 0.1mg/mL, Clone: [Bra30], Mouse, Monoclonal BOT-BNC680407-100**

|                          |   |
|--------------------------|---|
| Artikelname              | HLA-DRB (MHC II)(Bra30), CF568 conjugate, 0.1mg/mL, Clone: [Bra30], Mouse, Monoclonal   |
| Artikelnummer            | BOT-BNC680407-100   |
| Hersteller Artikelnummer | BNC680407-100   |
| Alternativnummer         | BOT-BNC680407-100-100UL   |
| Hersteller               | Biotium   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | FC, Functional Studies, WB  |
| Spezies Reaktivität      | Canine, Human, Monkey, Primate, Rodent  |
| Immunogen                | Human REH cells (non-T, non-B leukemia cell line)   |
| Konjugation              | CF568   |
| Produktbeschreibung      | This MAb reacts with the HLA-DRB3 antigen, a member of MHC class II molecules. It does not cross react with HLA-DP and HLA-DQ. HLA-DR is a heterodimeric cell surface glycoprotein comprised of a 36 kDa alpha (heavy) chain and a 28 kDa beta (light) cha... |
| Klonalität               | Monoclonal  |
| Konzentration            | 0.1 mg/mL   |
| Klon-Bezeichnung         | [Bra30]   |

|                        |  |
|------------------------|--|
| Molekulargewicht       | 28 kDa (beta chain)  |
| UniProt                | <a href="#">P01911</a>   |
| Puffer                 | PBS, 0.1% BSA, 0.05% azide   |
| Quelle                 | Animal   |
| Anwendungsbeschreibung | Flow cytometry: 0.5-1 ug/million cells, Immunofluorescence: 0.5-1 ug/mL, Optimal dilution for a specific application should be determined. Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody |