

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD6(3F7B5), CF568 conjugate, 0.1mg/mL, IgG1, Clone: [3F7B5], Mouse, Monoclonal BOT-BNC680428-100**

Artikelname	CD6(3F7B5), CF568 conjugate, 0.1mg/mL, IgG1, Clone: [3F7B5], Mouse, Monoclonal
Artikelnummer	BOT-BNC680428-100
Hersteller Artikelnummer	BNC680428-100
Alternativnummer	BOT-BNC680428-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human
Immunogen	Human rheumatoid synovial T cell line ST-1
Konjugation	CF568
Produktbeschreibung	CD6 is a type I transmembrane glycoprotein that contains a 24-amino acid signal sequence, three extracellular scavenger receptor cysteine-rich (SRCR) domains, a membrane-spanning domain and a 44-amino acid cytoplasmic domain. The CD6 glycoprotein is ...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[3F7B5]

Molekulargewicht	90-130 kDa
Isotyp	IgG1
UniProt	<a href="#">P30203</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user