

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **ZAP70(ZAP70/528), CF568 conjugate, 0.1mg/mL, Clone: [ZAP70/528], Mouse, Monoclonal BOT-BNC680528-500**

Artikelname	ZAP70(ZAP70/528), CF568 conjugate, 0.1mg/mL, Clone: [ZAP70/528], Mouse, Monoclonal
Artikelnummer	BOT-BNC680528-500
Hersteller Artikelnummer	BNC680528-500
Alternativnummer	BOT-BNC680528-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant full-length human ZAP70 protein
Konjugation	CF568
Produktbeschreibung	ZAP70 is a 70 kDa protein tyrosine kinase found in T-cells and natural killer cells. Control of this protein translation is via the IgVH gene. ZAP70 protein is expressed in leukemic cells of approximately 25% of chronic lymphocytic leukemia (CLL) case...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[ZAP70/528]

Molekulargewicht	70 kDa
UniProt	<a href="#">P43403</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user