

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Erythropoietin (EPO) (EPO/1368), CF568 conjugate, 0.1mg/mL, Clone: [EPO/1368], Mouse, Monoclonal BOT-BNC681368-100**

Artikelname	Erythropoietin (EPO) (EPO/1368), CF568 conjugate, 0.1mg/mL, Clone: [EPO/1368], Mouse, Monoclonal
Artikelnummer	BOT-BNC681368-100
Hersteller Artikelnummer	BNC681368-100
Alternativnummer	BOT-BNC681368-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant fragment of human EPO protein (aa28-162) (exact sequence is proprietary)
Konjugation	CF568
Produktbeschreibung	This antibody recognizes a protein of about 37 kDa, which is identified as Erythropoietin (EPO). Erythropoietin is a secreted, glycosylated cytokine hormone composed of four alpha helical bundles. It is the primary factor responsible for regulating e...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[EPO/1368]
Molekulargewicht	37 kDa
UniProt	<a href="#">P01588</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	<p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 4-8 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user</p>