

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MART-1 / Melan-A / MLANA (Melanoma Marker) (MLANA/1409R), CF568 conjugate, 0.1mg/mL, Clone: [MLANA/1409R], Rabbit, Monoclonal BOT-BNC681409-500

| | |
|--------------------------|---|
| Artikelname | MART-1 / Melan-A / MLANA (Melanoma Marker) (MLANA/1409R), CF568 conjugate, 0.1mg/mL, Clone: [MLANA/1409R], Rabbit, Monoclonal |
| Artikelnummer | BOT-BNC681409-500 |
| Hersteller Artikelnummer | BNC681409-500 |
| Alternativnummer | BOT-BNC681409-500-500UL |
| Hersteller | Biotium |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | IHC, WB |
| Spezies Reaktivität | Human, Mouse, Rat |
| Immunogen | Recombinant human full-length MLANA protein |
| Konjugation | CF568 |
| Produktbeschreibung | This antibody recognizes a protein doublet of 20-22 kDa, identified as MART-1 (Melanoma Antigen Recognized by T cells 1) or Melan-A. MART-1 is a newly identified melanocyte differentiation antigen recognized by autologous cytotoxic T lymphocytes. Sev... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |

| | |
|------------------------|--|
| Klon-Bezeichnung | [MLANA/1409R] |
| Molekulargewicht | 20-22 kDa (doublet) |
| UniProt | Q16655 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM citrate buffer pH 6.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user |