

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Mucin 5AC (MUC5AC)(MUC5AC/917 + 45M1), CF488A conjugate, 0.1mg/mL, Clone: [MUC5AC/917 45M1], Mouse, Monoclonal BOT-BNC881134-500**

Artikelname	Mucin 5AC (MUC5AC)(MUC5AC/917 + 45M1), CF488A conjugate, 0.1mg/mL, Clone: [MUC5AC/917 45M1], Mouse, Monoclonal
Artikelnummer	BOT-BNC881134-500
Hersteller Artikelnummer	BNC881134-500
Alternativnummer	BOT-BNC881134-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human MUC5AC protein (MUC5AC/917), M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging to an O Le(a-b) patient (45M1)
Konjugation	CF488A
Produktbeschreibung	Mucin 5AC glycoprotein (MUC5AC) is a 641 kDa glycoprotein belonging to the superfamily of mucins. Mucins are high molecular weight glycoproteins produced by epithelial cells and can be divided into two families, secretory mucins and membrane bound mu...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[MUC5AC/917 45M1]
Molekulargewicht	641 kDa
UniProt	<a href="#">P98088</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 1-2 ug/mL Optimal dilution for a specific application should be determined by user