

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD45RB(PTPRC/1147), CF488A conjugate, 0.1mg/mL, Clone: [PTPRC/1147], Mouse, Monoclonal BOT-BNC881147-500

| | |
|--------------------------|---|
| Artikelname | CD45RB(PTPRC/1147), CF488A conjugate, 0.1mg/mL, Clone: [PTPRC/1147], Mouse, Monoclonal |
| Artikelnummer | BOT-BNC881147-500 |
| Hersteller Artikelnummer | BNC881147-500 |
| Alternativnummer | BOT-BNC881147-500-500UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human CD45RB protein |
| Konjugation | CF488A |
| Produktbeschreibung | CD45R, also designated CD45 and PTPRC, has been identified as a transmembrane glycoprotein, broadly expressed among hematopoietic cells. Multiple isoforms of CD45R are distributed throughout the immune system according to cell type. These isoforms ar... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |

| | |
|------------------------|--|
| Klon-Bezeichnung | [PTPRC/1147] |
| Molekulargewicht | 180-220 kDa |
| UniProt | P08575 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | <p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1.0 ug/mL Optimal dilution for a specific application should be determined by user</p> |