

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **TIMP1 (Marker of Lymph Node Metastasis)(2A5), CF488A conjugate, 0.1mg/mL, Clone: [2A5], Mouse, Monoclonal BOT-BNC881648-500**

|                          |   |
|--------------------------|---|
| Artikelname              | TIMP1 (Marker of Lymph Node Metastasis)(2A5), CF488A conjugate, 0.1mg/mL, Clone: [2A5], Mouse, Monoclonal   |
| Artikelnummer            | BOT-BNC881648-500   |
| Hersteller Artikelnummer | BNC881648-500   |
| Alternativnummer         | BOT-BNC881648-500-500UL   |
| Hersteller               | Biotium   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | IHC, WB   |
| Spezies Reaktivität      | Human   |
| Immunogen                | A synthetic peptide (aa 72-82) of human TIMP1 protein (FQALGDAADIR)   |
| Konjugation              | CF488A  |
| Produktbeschreibung      | TIMP-1, TIMP-2, TIMP-3 and TIMP-4 (for tissue inhibitor of metalloproteinases -1, -2, -3 and -4) complex with metalloproteinases such as collagenases, gelatinases and stromelysins, resulting in irreversible inactivation of the metalloproteinase. TIMP... |
| Klonalität               | Monoclonal  |
| Konzentration            | 0.1 mg/mL   |

|                        |   |
|------------------------|---|
| Klon-Bezeichnung       | [2A5]   |
| Molekulargewicht       | 23 kDa  |
| UniProt                | <a href="#">P01033</a>  |
| Puffer                 | PBS, 0.1% BSA, 0.05% azide  |
| Quelle                 | Animal  |
| Anwendungsbeschreibung | ELISA: Use Ab at 2-4 ug/mL for coating, Order Ab without BSA, Optimal dilution for a specific application should be determined.   Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody |