

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Vimentin(VM452), 0.2mg/mL, IgG1, Clone: [VM452], Mouse, Monoclonal BOT-BNUB0452-100

Artikelname	Vimentin(VM452), 0.2mg/mL, IgG1, Clone: [VM452], Mouse, Monoclonal
Artikelnummer	BOT-BNUB0452-100
Hersteller Artikelnummer	BNUB0452-100
Alternativnummer	BOT-BNUB0452-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IHC, WB
Spezies Reaktivität	Bovine, Canine, Feline, Gallus, Goat, Human, Porcine
Immunogen	Recombinant full-length human vimentin protein
Produktbeschreibung	This MAb reacts with a 58 kDa protein identified as vimentin. It shows no cross-reaction with other closely related intermediate filament proteins (IFPs) such as desmin, keratin, neurofilament, and glial fibrillary acid protein. Anti-vimentin alone is...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[VM452]
Molekulargewicht	57-60 kDa

Isotyp	IgG1
UniProt	P08670
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Does not react with mouse or rat Flow cytometry: 0.5-1 ug/million cells Immunohistology (formalin): 0.25-0.5 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Western blotting 0.25-0.5 ug/mL Optimal dilution for a specific application should be determined by user