

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### PCNA(PC10), 0.2mg/mL, Clone: [PC10], Mouse, Monoclonal BOT-BNUB0467-500

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | PCNA(PC10), 0.2mg/mL, Clone: [PC10], Mouse, Monoclonal                                                                                                                                                                                                        |
| Artikelnummer            | BOT-BNUB0467-500                                                                                                                                                                                                                                              |
| Hersteller Artikelnummer | BNUB0467-500                                                                                                                                                                                                                                                  |
| Alternativnummer         | BOT-BNUB0467-500-500UL                                                                                                                                                                                                                                        |
| Hersteller               | Biotium                                                                                                                                                                                                                                                       |
| Wirt                     | Mouse                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | FC, IHC                                                                                                                                                                                                                                                       |
| Spezies Reaktivität      | Drosophila, Gallus, Human, Monkey, Mouse, Porcine, Rat, Yeast, Zebrafish                                                                                                                                                                                      |
| Immunogen                | Rat PCNA/Protein A fusion protein                                                                                                                                                                                                                             |
| Produktbeschreibung      | Recognizes a non-histone protein of 36 kDa, which is identified as proliferating cell nuclear antigen (PCNA). It is also known as cyclin or polymerase delta auxiliary protein. Elevated expression of PCNA/cyclin has been shown in the nucleus during la... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Konzentration            | 0.2 mg/mL                                                                                                                                                                                                                                                     |
| Klon-Bezeichnung         | [PC10]                                                                                                                                                                                                                                                        |
| Molekulargewicht         | 36 kDa                                                                                                                                                                                                                                                        |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UniProt                | <a href="#">P12004</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Puffer                 | PBS, 0.05% BSA, 0.05% azide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Quelle                 | Animal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Anwendungsbeschreibung | <p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.25-0.5 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user</p> |