

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MUC2(CCP58), 1mg/mL, Clone: [CCP58], Mouse, Monoclonal BOT-BNUM0032-50

Artikelname	MUC2(CCP58), 1mg/mL, Clone: [CCP58], Mouse, Monoclonal
Artikelnummer	BOT-BNUM0032-50
Hersteller Artikelnummer	BNUM0032-50
Alternativnummer	BOT-BNUM0032-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	ELISA, IF, IHC, WB
Spezies Reaktivität	Human
Immunogen	A synthetic peptide of 29 amino acids, KYPTTTPISTTTMVTPPTPTGTQTPTTT from MUC2 protein, coupled to KLH.
Produktbeschreibung	Recognizes a single glycoprotein of 520 kDa, identified as mucin 2 (MUC2). This MAb shows no cross-reaction with human milk fat globule membranes, MUC1, or MUC3. Its epitope has been defined as GTQTP (GlyThrGlnThrPro). Mucins are high molecular weigh...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[CCP58]
Molekulargewicht	520 kDa

UniProt	Q02817
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user