

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

p21 / WAF1(CIP1/823 + DCS-60.2), 1mg/mL, Clone: [CIP1/823 DCS-60.2], Mouse, Monoclonal BOT-BNUM1135-50

Artikelname	p21 / WAF1(CIP1/823 + DCS-60.2), 1mg/mL, Clone: [CIP1/823 DCS-60.2], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1135-50
Hersteller Artikelnummer	BNUM1135-50
Alternativnummer	BOT-BNUM1135-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant full-length human CDKN1A protein (CIP1/823), Human recombinant p21 protein (DCS-60.2)
Produktbeschreibung	This MAb recognizes a 21 kDa protein, identified as the p21WAF1 tumor suppressor protein. This MAb is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumo...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[CIP1/823 DCS-60.2]

Molekulargewicht	21 kDa
UniProt	P38936
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Does not react with mouse or rat, others not known Immunohistology formalin-fixed 2-4 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user