

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD162 (Selectin P Ligand) (PSGL1/1601), 1mg/mL, IgG1, Clone: [PSGL1/1601], Mouse, Monoclonal BOT-BNUM1601-50

Artikelname	CD162 (Selectin P Ligand) (PSGL1/1601), 1mg/mL, IgG1, Clone: [PSGL1/1601], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1601-50
Hersteller Artikelnummer	BNUM1601-50
Alternativnummer	BOT-BNUM1601-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human full-length SELPLG (CD162) protein
Produktbeschreibung	CD162 glycoprotein functions as a high affinity counter-receptor for the cell adhesion molecules P-, E- and L- selectin expressed on myeloid cells and stimulated T lymphocytes. As such, this protein plays a critical role in leukocyte trafficking duri...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[PSGL1/1601]
Molekulargewicht	43-120 kDa

Isotyp	IgG1
UniProt	Q14242
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM Tris, 1 mM EDTA pH 9.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user