

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Thrombomodulin / CD141 (Endothelial Cell Marker) (THBD/1782), 1mg/mL, Clone: [THBD/1782], Mouse, Monoclonal BOT-BNUM1782-50

Artikelname	Thrombomodulin / CD141 (Endothelial Cell Marker) (THBD/1782), 1mg/mL, Clone: [THBD/1782], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1782-50
Hersteller Artikelnummer	BNUM1782-50
Alternativnummer	BOT-BNUM1782-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human Thrombomodulin protein fragment (aa69-194) (exact sequence is proprietary)
Produktbeschreibung	This antibody recognizes a protein of 75 kDa, identified as Thrombomodulin. Thrombomodulin is a transmembrane glycoprotein with natural anticoagulant properties. It is normally expressed by a restricted number of cells, such as endothelial and mesoth...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[THBD/1782]

Molekulargewicht	100 kDa
UniProt	P07204
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody ELISA: 2-4 ug/mL for coating order Ab without BSA Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM Tris buffer with 1 mM EDTA pH 9.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user