

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD45 / LCA (Leucocyte Marker) (PTPRC/1783R + PTPRC/1975R), 1mg/mL, Clone: [PTPRC/1783R PTPRC/1975R], Rabbit, Monoclonal BOT-BNUM2026-50**

Artikelname	CD45 / LCA (Leucocyte Marker) (PTPRC/1783R + PTPRC/1975R), 1mg/mL, Clone: [PTPRC/1783R PTPRC/1975R], Rabbit, Monoclonal
Artikelnummer	BOT-BNUM2026-50
Hersteller Artikelnummer	BNUM2026-50
Alternativnummer	BOT-BNUM2026-50-50UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant full-length human CD45 protein
Produktbeschreibung	CD45R, also designated CD45 and PTPRC, has been identified as a transmembrane glycoprotein, broadly expressed among hematopoietic cells. Multiple isoforms of CD45R are distributed throughout the immune system according to cell type. These isoforms ar...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[PTPRC/1783R PTPRC/1975R]

Molekulargewicht	180-220 kDa
UniProt	<a href="#">P08575</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1.0 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user