

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

EGFRvIII (Epidermal Growth Factor Receptor, Variant III) (GFR/2600R), 1mg/mL, Clone: [GFR/2600R], Rabbit, Monoclonal BOT-BNUM2600-50

Artikelname	EGFRvIII (Epidermal Growth Factor Receptor, Variant III) (GFR/2600R), 1mg/mL, Clone: [GFR/2600R], Rabbit, Monoclonal
Artikelnummer	BOT-BNUM2600-50
Hersteller Artikelnummer	BNUM2600-50
Alternativnummer	BOT-BNUM2600-50-50UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	KLH conjugate of EGFRvIII-specific, 14-amino acid peptide from the predicted amino acid sequence at the fusion junction (LEEKKGNYVVDHC)
Produktbeschreibung	EGFR is type I receptor tyrosine kinase with sequence homology to erbB-1, -2, -3 -4 or HER-1, -2, -3 -4. It binds to Epidermal Growth Factor (EGF), Transforming Growth Factor- α (TGF- α), Heparin-binding EGF (HB-EGF), amphiregulin, betacellulin and epi...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[GFR/2600R]

Molekulargewicht	~145 kDa (vIII variant)
UniProt	P00533
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user