

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Myogenin (Skeletal Muscle Marker) (MYOG/2660), 1mg/mL, Clone: [MYOG/2660], Mouse, Monoclonal BOT-BNUM2660-50**

Artikelname	Myogenin (Skeletal Muscle Marker) (MYOG/2660), 1mg/mL, Clone: [MYOG/2660], Mouse, Monoclonal
Artikelnummer	BOT-BNUM2660-50
Hersteller Artikelnummer	BNUM2660-50
Alternativnummer	BOT-BNUM2660-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant full-length human myogenin (MYOG) protein
Produktbeschreibung	Myogenin is a member of the MyoD family of myogenic basic helix-loop-helix (bHLH) transcription factors that also includes MyoD, Myf-5, and MRF4 (also known as herculinor Myf-6). MyoD family members are expressed exclusively in skeletal muscle and pl...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[MYOG/2660]
Molekulargewicht	34 kDa

UniProt	<a href="#">P15173</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user