

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD6 (Negative Marker of T-regulatory Cells) (C6/2884R), 1mg/mL, Clone: [C6/2884R], Rabbit, Monoclonal BOT-BNUM2884-50

Artikelname	CD6 (Negative Marker of T-regulatory Cells) (C6/2884R), 1mg/mL, Clone: [C6/2884R], Rabbit, Monoclonal
Artikelnummer	BOT-BNUM2884-50
Hersteller Artikelnummer	BNUM2884-50
Alternativnummer	BOT-BNUM2884-50-50UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human
Immunogen	Human recombinant full-length CD6 protein
Produktbeschreibung	CD6 is a type I transmembrane glycoprotein that contains a 24-amino acid signal sequence, three extracellular scavenger receptor cysteine-rich (SRCR) domains, a membrane-spanning domain and a 44-amino acid cytoplasmic domain. The CD6 glycoprotein is ...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[C6/2884R]
Molekulargewicht	90-130 kDa

UniProt	P30203
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user