

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

HLA-Pan (MHC II) (HLA-Pan/2967R), 1mg/mL, Clone: [HLA-Pan/2967R], Rabbit, Monoclonal BOT-BNUM2967-50

Artikelname	HLA-Pan (MHC II) (HLA-Pan/2967R), 1mg/mL, Clone: [HLA-Pan/2967R], Rabbit, Monoclonal
Artikelnummer	BOT-BNUM2967-50
Hersteller Artikelnummer	BNUM2967-50
Alternativnummer	BOT-BNUM2967-50-50UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Human
Immunogen	Non-T, non-B human acute lymphoblastic leukemia REH6 cell line
Produktbeschreibung	This antibody reacts with a common epitope of human major histocompatibility (MHC) class II antigens, HLA-DP, -DQ and -DR. Human MHC class II antigens are transmembrane glycoproteins composed of an alpha chain (36 kDa) and a beta chain (27 kDa). They...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[HLA-Pan/2967R]

Molekulargewicht	33-35 kDa
UniProt	P04440
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody ELISA: For coating use Ab at 1-5 ug/mL order Ab without BSA Immunohistology (formalin): 0.5-1 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes