

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **MCAM (Melanoma Cell Adhesion Molecule) / MUC18 / CD146(MCAM/3179), CF740 conjugate, 0.1mg/mL, Clone: [MCAM/3179], CF 740, Mouse, Monoclonal BOT-BNC743179-100**

Artikelname	MCAM (Melanoma Cell Adhesion Molecule) / MUC18 / CD146(MCAM/3179), CF740 conjugate, 0.1mg/mL, Clone: [MCAM/3179], CF 740, Mouse, Monoclonal
Artikelnummer	BOT-BNC743179-100
Hersteller Artikelnummer	BNC743179-100
Alternativnummer	BOT-BNC743179-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Human
Immunogen	Recombinant human MCAM protein
Konjugation	CF 740
Produktbeschreibung	The human Mel-CAM gene maps to chromosome 11q23 and encodes a trans-membrane glycoprotein, also designated MCAM, MUC 18 or CD146, that belongs to the immunoglobulin superfamily and functions as a Ca <sup>2+</sup> -independent cell adhesion molecule. Mel-CAM expe...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[MCAM/3179]
Molekulargewicht	130 kDa
UniProt	<a href="#">P43121</a>
Puffer	PBS, 0.1% rBSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry