

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Bcl-6 (Follicular Lymphoma Marker)(rBCL6/1475), CF740 conjugate, 0.1mg/mL, Clone: [rBCL6/1475], CF 740, Mouse, Monoclonal BOT-BNC743433-100

Artikelname	Bcl-6 (Follicular Lymphoma Marker)(rBCL6/1475), CF740 conjugate, 0.1mg/mL, Clone: [rBCL6/1475], CF 740, Mouse, Monoclonal
Artikelnummer	BOT-BNC743433-100
Hersteller Artikelnummer	BNC743433-100
Alternativnummer	BOT-BNC743433-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Human
Immunogen	Recombinant human bcl-6 protein fragment (around aa256-389) (Exact sequence is proprietary)
Konjugation	CF 740
Produktbeschreibung	Bcl-6 is a transcriptional repressor mainly required for germinal center (GC) formation and antibody affinity maturation which has different mechanisms of action specific to the lineage and biological functions. It forms complexes with different core...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[rBCL6/1475]

Molekulargewicht	95 kDa
UniProt	P41182
Puffer	PBS, 0.1% rBSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry