

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Monoclonal Antibody to IgG (Immunoglobulin Gamma Heavy Chain) (B-Cell Marker)(Clone : IG217), Clone: [IG217], Mouse ABI-36-1270

| | |
|--------------------------|---|
| Artikelname | Monoclonal Antibody to IgG (Immunoglobulin Gamma Heavy Chain) (B-Cell Marker)(Clone : IG217), Clone: [IG217], Mouse |
| Artikelnummer | ABI-36-1270 |
| Hersteller Artikelnummer | 36-1270 |
| Alternativnummer | ABI-36-1270-100UG |
| Hersteller | Abeomics |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FACS, IF, IHC |
| Spezies Reaktivität | Human |
| Immunogen | Purified human Ig Gamma Chain |
| Produktbeschreibung | Recognizes a protein of 75kDa, identified as gamma heavy chain of human immunoglobulins. It reacts with all sub-classes of gamma chain of human immunoglobulins. It does not cross-react with alpha (IgA), μ (IgM), $i\mu$ (IgE), or i' (IgD), heavy chains, T... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [IG217] |
| UniProt | P01857 |
| Reinheit | Affinity Chromatography |

| | |
|------------------------|---|
| Formulierung | Purified |
| Target-Kategorie | IgG (Immunoglobulin Gamma Heavy Chain) (B-Cell Marker) |
| Application Verdünnung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin/paraffin) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 mi |