

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Monoclonal Antibody to Cytokeratin 7 (KRT7) (Glandular and Transitional Epithelial Marker)(Clone : KRT7/903), Clone: [KRT7/903], Mouse ABI-36-1347

| | |
|--------------------------|---|
| Artikelname | Monoclonal Antibody to Cytokeratin 7 (KRT7) (Glandular and Transitional Epithelial Marker)(Clone : KRT7/903), Clone: [KRT7/903], Mouse |
| Artikelnummer | ABI-36-1347 |
| Hersteller Artikelnummer | 36-1347 |
| Alternativnummer | ABI-36-1347-100UG |
| Hersteller | Abeomics |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FACS, IF, IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human KRT7 protein |
| Produktbeschreibung | Cytokeratin 7 is a basic cytokeratin, which is found in most glandular and transitional epithelia but not in the stratified squamous epithelia. Keratin 7 is expressed in the epithelial cells of ovary, lung, and breast but not of colon, prostate, or g... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [KRT7/903] |
| NCBI | 3855 |

| | |
|------------------------|--|
| UniProt | P08729 |
| Reinheit | Affinity Chromatography |
| Formulierung | Purified |
| Target-Kategorie | Cytokeratin 7 (KRT7) (Glandular and Transitional Epithelial Marker) |
| Application Verdünnung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris Buffer with 1mM EDTA, pH 9.0, for 45 |