

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Monoclonal Antibody to MUC18 / CD146 / MCAM (Melanoma Cell Adhesion Molecule)(Clone : MUC18/1130), Clone: [MUC18/1130], Mouse ABI-36-1419

|                          |  |
|--------------------------|--|
| Artikelname              | Monoclonal Antibody to MUC18 / CD146 / MCAM (Melanoma Cell Adhesion Molecule)(Clone : MUC18/1130), Clone: [MUC18/1130], Mouse  |
| Artikelnummer            | ABI-36-1419  |
| Hersteller Artikelnummer | 36-1419  |
| Alternativnummer         | ABI-36-1419-100UG  |
| Hersteller               | Abeomics   |
| Wirt                     | Mouse  |
| Kategorie                | Antikörper   |
| Applikation              | FACS, IF, IHC  |
| Spezies Reaktivität      | Human  |
| Immunogen                | Recombinant human MUC18 protein  |
| Produktbeschreibung      | The human Mel-CAM gene maps to chromosome 11q23 and encodes a trans-membrane glycoprotein, also designated MCAM, MUC 18 or CD146, that belongs to the immunoglobulin superfamily and functions as a Ca <sup>2+</sup> -independent cell adhesion molecule. Mel-CAM expre... |
| Klonalität               | Monoclonal   |
| Klon-Bezeichnung         | [MUC18/1130]   |
| NCBI                     | <a href="#">4162</a>   |

|                        |   |
|------------------------|---|
| UniProt                | <a href="#">P43121</a>  |
| Reinheit               | Affinity Chromatography   |
| Formulierung           | Purified  |
| Target-Kategorie       | MUC18 / CD146 / MCAM (Melanoma Cell Adhesion Molecule)  |
| Application Verdünnung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 1mM EDTA, pH 8.0, for 45 min at 95&degC f |