

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Anti-Cytokeratin 18 (KRT18) Monoclonal Antibody(Clone: C-04, same as Ks18.04), Clone: [C-04, same as Ks18.04], Mouse ABI-36-2689-20**

|                          |   |
|--------------------------|---|
| Artikelname              | Anti-Cytokeratin 18 (KRT18) Monoclonal Antibody(Clone: C-04, same as Ks18.04), Clone: [C-04, same as Ks18.04], Mouse  |
| Artikelnummer            | ABI-36-2689-20  |
| Hersteller Artikelnummer | 36-2689-20  |
| Alternativnummer         | ABI-36-2689-20-20UG   |
| Hersteller               | Abeomics  |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | FACS, IF, IHC, WB   |
| Spezies Reaktivität      | Human, Mouse, Rat   |
| Immunogen                | Cytoskeletal preparation extracted from the human vulvar squamous carcinoma cell line A431  |
| Produktbeschreibung      | This MAb reacts with a wide variety of simple epithelia. It does not react with stratified squamous epithelia. It reacts with epithelial tumors of the gastrointestinal tract, lung, breast, pancreas, ovary, and thyroid. Cytokeratin 18, which belongs t... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [C-04, same as Ks18.04]   |
| NCBI                     | <a href="#">3875</a>  |

|                        |  |
|------------------------|--|
| UniProt                | <a href="#">P05783</a>   |
| Application Verdünnung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDT |