

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Anti-Clusterin Purified, Clone: [Hs-3], Monoclonal EXB-11-421-C100

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Anti-Clusterin Purified, Clone: [Hs-3], Monoclonal                                                                                                                                                                                                            |
| Artikelnummer            | EXB-11-421-C100                                                                                                                                                                                                                                               |
| Hersteller Artikelnummer | 11-421-C100                                                                                                                                                                                                                                                   |
| Alternativnummer         | EXB-11-421-C100                                                                                                                                                                                                                                               |
| Hersteller               | EXBIO                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | ELISA, ICC, IHC-P, WB                                                                                                                                                                                                                                         |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | Freshly ejaculated human sperms were washed in PBS and extracted in 3% acetic acid, 10% glycerol, 30 mM benzaminidine. The acid extract was dialyzed against 0.2% acetic acid and subsequently used for immunization.                                         |
| Produktbeschreibung      | Clusterin (APO J, SGP-2, TRPM-2, SP-40, pADHC-9, CLJ, T64, GP III, XIP8) is a 75-80 kD disulfide-linked heterodimeric protein containing about 30% of N-linked carbohydrate rich in sialic acid but truncated forms targeted to the nucleus have also been... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Konzentration            | 1 mg/ml                                                                                                                                                                                                                                                       |
| Klon-Bezeichnung         | [Hs-3]                                                                                                                                                                                                                                                        |
| Isotyp                   | Mouse IgG1                                                                                                                                                                                                                                                    |

|                        |                                                                                                                                                                                               |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Puffer                 | Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide                                                                                                                                   |
| Lagerung               | 2°C to 8°C                                                                                                                                                                                    |
| Target-Kategorie       | Clusterin                                                                                                                                                                                     |
| Antibody Type          | Monoclonal Antibody                                                                                                                                                                           |
| Anwendungsbeschreibung | Immunohistochemistry (paraffin sections): Recommended dilution: 10 µg/ml, positive tissue: Sertoli cells. Western blotting: Recommended dilution: 1 µg/ml, positive material: seminal plasma. |