

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Rabbit IgG anti-Horse IgG (Fc)-HRPO, MinX none DNA-SEC-182979

|                                  |                                                                                                                                                                                                                                                               |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname                      | Rabbit IgG anti-Horse IgG (Fc)-HRPO, MinX none                                                                                                                                                                                                                |
| Artikelnummer                    | DNA-SEC-182979                                                                                                                                                                                                                                                |
| Hersteller Artikelnummer         | SEC-182979                                                                                                                                                                                                                                                    |
| Alternativnummer                 | DNA-SEC-182979                                                                                                                                                                                                                                                |
| Hersteller                       | dianova                                                                                                                                                                                                                                                       |
| Wirt                             | Rabbit                                                                                                                                                                                                                                                        |
| Kategorie                        | Antikörper                                                                                                                                                                                                                                                    |
| Applikation                      | ELISA,IHC,WB                                                                                                                                                                                                                                                  |
| Spezies Reaktivität              | Equine                                                                                                                                                                                                                                                        |
| Immunogen                        | Horse IgG F(c) fragment                                                                                                                                                                                                                                       |
| Konjugation                      | HRPO                                                                                                                                                                                                                                                          |
| Format                           | IgG                                                                                                                                                                                                                                                           |
| Spezifität                       | IgG (Fc)                                                                                                                                                                                                                                                      |
| Minimale Kreuzreaktivität (MinX) | no cross-adsorbtion                                                                                                                                                                                                                                           |
| Produktbeschreibung              | Anti-Horse IgG F(c) generated in rabbit is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of horse IgG and o... |
| Klonalität                       | Polyclonal                                                                                                                                                                                                                                                    |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Konzentration          | 1.5 mg/mL                                                                                                                                                                                                                                                                                                                                                                                                              |
| Isotyp                 | Ig                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Puffer                 | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2                                                                                                                                                                                                                                                                                                                                                             |
| Reinheit               | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Horse IgG, Horse IgG F(c) and Horse Serum. No reaction was observed against Horse IgG F(ab). |
| Formulierung           | Lyophilized                                                                                                                                                                                                                                                                                                                                                                                                            |
| Formel                 | 20 mM K3PO4,150 mM NaCl,pH 7,2,lyophilisate,0,01% Gentamicin                                                                                                                                                                                                                                                                                                                                                           |
| Target-Kategorie       | Horse                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Antibody Type          | Secondary Antibody                                                                                                                                                                                                                                                                                                                                                                                                     |
| Application Verdünnung | ELISA Dilution: 1:10,000 - 1:50,000, Immunohistochemistry Dilution: 1:500 - 1:2,500, Western Blot Dilution: 1:1,000 - 1:10,000                                                                                                                                                                                                                                                                                         |
| Anwendungsbeschreibung | This product has been assayed against 1.0 ug of Horse IgG in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:20,000 to 1:200,000 of the reconstitution concentration is suggested for this product.                                                                             |