

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Anti-Murine FGF-9 Antibody, Rabbit, Polyclonal ABT-ABG10110-U050

Article Name	Anti-Murine FGF-9 Antibody, Rabbit, Polyclonal
Biozol Catalog Number	ABT-ABG10110-U050
Supplier Catalog Number	ABG10110-U050
Alternative Catalog Number	ABT-ABG10110-U050-50UG
Manufacturer	Abcepta
Host	Rabbit
Category	Antikörper
Application	ELISA, WB
Species Reactivity	Mouse
Clonality	Polyclonal
Purity	Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant mFGF-9. Anti-Murine FGF-9 specific antibody was purified by affinity chromatography employing immobilized mFGF-9 matrix.
Form	A sterile filtered antibody solution was lyophilized from PBS, pH 7.2.
Antibody Type	Polyclonal Antibody

Application Notes

WesternBlot: To detect mFGF-9 by Western Blot analysis this antibody can be used at a concentration of 0.1-0.2 µg/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant mFGF-9 is 1.5-3.0 ng/lane, under either reducing or non-reducing conditions.. Sandwich: To detect mFGF-9 by sandwich ELISA (using 100 µl/well antibody solution) a concentration of 0.5 - 2.0 µg/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with BioGems Biotinylated Anti-Murine FGF-9 (61-069BT) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant mFGF-9.. Neutralization: To yield one-half maximal inhibition [ND50] of the biological activity of mFGF-9 (1.50 ng/ml), a concentration of 0.025-0.06 µg/ml of this antibody is required.. Reconstitution: Centrifuge vial prior to opening. Reconstitute in sterile water to a concentration of 0.1-1.0 mg/ml.