

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CD40 / TNFRSF5 / CD40L-Receptor (C40/2383), CF405S conjugate, 0.1mg/mL, Clone: [C40/2383], Mouse, Monoclonal BOT-BNC042383-100

Article Name	CD40 / TNFRSF5 / CD40L-Receptor (C40/2383), CF405S conjugate, 0.1mg/mL, Clone: [C40/2383], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC042383-100
Supplier Catalog Number	BNC042383-100
Alternative Catalog Number	BOT-BNC042383-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	FC, IHC
Species Reactivity	Human
Immunogen	Recombinant fragment of human CD40 protein (around aa 29-107) (exact sequence is proprietary)
Conjugation	CF405S
Product Description	CD40 is a receptor on antigen-presenting cells of the immune system and is essential for mediating a broad variety of immune and inflammatory responses including T cell-dependent immunoglobulin class switching, memory B cell development, and germinal...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[C40/2383]

Molecular Weight	43 kDa
UniProt	P25942
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user